

SERVER AND DATA RACK

2022 CATALOGUE



XCIRCLE

www.xcircle.com.au

SYNOPSIS

The XO data rack is locally manufactured and constructed from 2 mm mild steel epoxy coated, this rigid structure will carry a static weight of 1500 kilograms .

The versatile XO rack is available in 12 standard sizes, based on the 19 inch rack mounting system, this is ideal for servers, switches, routers, KVM switches and UPSs.

The front and rear doors have 78% perforation allowing maximum airflow through the cabinet, the depth reducers form part of the structure allowing the panel mounts to naturally prevent side spillage, with the aid of blanking panels or Plenafill's the XO rack works seamlessly in a hot or cold isle containment setup. The XO rack is containment ready.

Front and rear split doors have an easy lift off hinge system as well as the split side doors make for quick removal allowing the installer to work freely on the rack.

The top panel of the cabinet has a large aperture allowing for high density cable entry and with a host of available accessories namely cable ring runs, PDU Brackets, cable trays and flat mount shelves the XO rack is the best choice for your deployment.




SIDE DOORS

Split side doors, allow access, easy to remove and are lockable.



LOCKING

Four point locking with roller latch system, providing good security.



AIRFLOW

Curved single front door and split rear door have 78% perforation provided by 8 mm honeycomb allowing maximum airflow, ideal for hot or cold isle containment.



MOBILITY

All racks come fixed with castors for ease of mobility.



LEVELING FEET

Leveling feet provide the precision for leveling and assists in a containment solution.

XO STANDARD RACK SIZES

PART NUMBER	DESCRIPTION	WIDTH	HEIGHT	DEPTH
XC-DC-42U-600-1000	42U 600 X 1000 Cabinet	600 mm	1997 mm	1000 mm
XC-DC-42U-600-1100	42U 600 X 1100 Cabinet	600 mm	1997 mm	1100 mm
XC-DC-42U-600-1200	42U 600 X 1200 Cabinet	600 mm	1997 mm	1200 mm
XC-DC-48U-600-1000	48U 600 X 1000 Cabinet	600 mm	2264 mm	1000 mm
XC-DC-48U-600-1100	48U 600 X 1100 Cabinet	600 mm	2264 mm	1100 mm
XC-DC-48U-600-1200	48U 600 X 1200 Cabinet	600 mm	2264 mm	1200 mm
XC-DC-42U-800-1000	42U 800 X 1000 Cabinet	800 mm	1997 mm	1000 mm
XC-DC-42U-800-1100	42U 800 X 1100 Cabinet	800 mm	1997 mm	1100 mm
XC-DC-42U-800-1200	42U 800 X 1200 Cabinet	800 mm	1997 mm	1200 mm
XC-DC-48U-800-1000	48U 800 X 1000 Cabinet	800 mm	2264 mm	1000 mm
XC-DC-48U-800-1100	48U 800 X 1100 Cabinet	800 mm	2264 mm	1100 mm
XC-DC-48U-800-1200	48U 800 X 1200 Cabinet	800 mm	2264 mm	1200 mm

**add 10mm for levers to height*



WHAT'S IN THE BOX :

- 2 frame sets
- 4 panel mounts with U markings
- 4 side doors
- 4 leveling feet
- 4 low profile castors
- 6 depth reducers
- 1 front curved door (doors are split in the 800 wide model)
- 1 set rear split doors
- 6 door hinges (8 hinges for 800 wide model)
- 4 baying brackets
- 1 fasteners kit (includes tool kit)
- Instruction manual
- 4 side door lock brackets
- 1 top panel
- 50 cage nut sets (includes M6 x 16 Pan Posi screws)

RACK COLOUR RAL7021 RIPPLE BLACK

EXPLODED VIEW OF RACK



Welded front and rear frames make assembly very simple



XCIRCLE

GET IN TOUCH

P. (08) 6363 5778

W. www.xcircle.com.au

E. info@xcircle.com.au

L. 7 Distinction Road
Wangara, WA 6065